



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE UNBER		

MATH
Paper

MATHEMATICS 0580/43

Paper 4 (Extended) October/November 2012

2 hours 30 minutes

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator Geometrical instruments

Mathematical tables (optional) Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.


If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 130.




1	(a)		Martinez family travels by car to Seatown. distance is 92 km and the journey takes 1 hour 25 minutes.	
		(i)	The family leaves home at 07 50. Write down the time they arrive at Seatown.	
			$Answer(a)(i) \qquad [1]$	
		(ii)	Calculate the average speed for the journey.	
			<i>Answer(a)</i> (ii) km/h [2]	
		(iii)	During the journey, the family stops for 10 minutes.	
			Calculate 10 minutes as a percentage of 1 hour 25 minutes.	
			<i>Answer(a)</i> (iii) % [1]	
		(iv)	92 km is 15% more than the distance from Seatown to Deecity.	
			Calculate the distance from Seatown to Deecity.	
			Answer(a)(iv) km [3]	

(b)	The	e Martinez family spends \$150 in the ratio			
		fuel: meals: gifts = $11:16:3$.			
	(i)	Show that \$15 is spent on gifts.			
		Answer (b)(i)			
					[2]
	(ii)	The family buys two gifts.			[4]
	(11)	The first gift costs \$8.25.			
		Find the ratio			
		cost of first gift : cost of second gift.			
		Give your answer in its simplest form.			
			Answer(b)(ii)	:	[2]

2 (a)


For Examiner's Use



- (i) Draw the translation of triangle *X* by the vector $\begin{pmatrix} -11 \\ -1 \end{pmatrix}$. [2]
- (ii) Draw the enlargement of triangle Y with centre (-6, -4) and scale factor $\frac{1}{2}$. [2]

(b)

For Examiner's Use



Describe fully the **single** transformation that maps

(i) triangle X onto triangle Z,

(ii) triangle X onto triangle Y,

(iii) triangle X onto triangle W.

Answer(b)(i)	[2]

Answer(b)(ii) [3]

Answer(b)(iii) [3]

(c) Find the matrix that represents the transformation in part (b)(iii).

 $Answer(c) \qquad [2]$

3

A n	netal cuboid has a volume of 1080 cm ³ and a mass of	8 kg.		
(a)	Calculate the mass of one cubic centimetre of the m Give your answer in grams.	etal.		
		Answer(a)	g	[1]
<i>a</i> >				
(b)	The base of the cuboid measures 12 cm by 10 cm.			
	Calculate the height of the cuboid.			
		4 (7)		F03
		Answer(b)	cm	[2]
(c)	The cuboid is melted down and made into a sphere	with radius r	cm.	
(c)	(i) Calculate the value of r.		em.	
(c)			cm.	
(c)	(i) Calculate the value of r.		cm.	
(c)	(i) Calculate the value of r.		cm.	
(c)	(i) Calculate the value of r.		cm.	
(c)	(i) Calculate the value of r.		cm.	
(c)	(i) Calculate the value of r.		cm.	
(c)	(i) Calculate the value of r.		cm.	
(c)	(i) Calculate the value of r.		cm.	
(c)	(i) Calculate the value of r.		cm.	
(c)	(i) Calculate the value of r.	$=\frac{4}{3}\pi r^3.$		
(c)	(i) Calculate the value of r.	$=\frac{4}{3}\pi r^3.$) r =	[3]

	(ii)	Calculate the surface area of the sphere.	
		[The surface area, A, of a sphere with radius r is $A = 4\pi r^2$.]	
		Answer(c)(ii) cm ² [[2]
(d)	The par	arger sphere has a radius R cm. surface area of the sphere with radius r cm t (c). If the value of $\frac{R}{r}$.	in
		Answer(d)[[2]

4

$$f(x) = \frac{2}{x^2} - 3x, \ x \neq 0$$


Examiner's Use

(a) Complete the table.

х	-3	-2.5	-2	-1.5	-1	-0.5	0.5	1	1.5	2	2.5	3
f(x)	9.2	7.8	6.5	5.4		9.5	6.5		-3.6	-5.5	-7.2	-8.8

[2]

(b) On the grid, draw the graph of y = f(x), for $-3 \le x \le -0.5$ and $0.5 \le x \le 3$.




[5]

(c) Use	e your graph to solve the equations.	For Examiner's
(i)	f(x) = 4	Use
(ii)	Answer(c)(i) x = $f(x) = 3x$	1]
(I) TI		2]
	e equation $f(x) = 3x$ can be written as $x^3 = k$.	
Fin	d the value of k .	
	Answer(d) k = [2]	2]
(e) (i)	Draw the straight line through the points $(-1, 5)$ and $(3, -9)$.	1]
(ii)	Find the equation of this line.	
	$Answer(e)(ii) \qquad \qquad [3]$	3]
(iii)	Complete the statement.	
	The straight line in part (e)(ii) is a to the graph of $y = f(x)$. [1]
		_

5

(a)	Marcos buys 2 bottles The total cost is \$3.60 The cost of one bottle).	oottles of lemonade. 60.25 more than the cost of o	one bottle of water.	
	Find the cost of one b				
			Answer(a) \$		[4]
b)		_		1	
	5 cm ²	ycm	6 cm ²	Ycm NOT TO SCALE	
_	xcm	J L	(x+2) cm	J	
	The second rectangle (i) When $y + Y = 1$,		cm by Y cm and has an area $9x - 10 = 0$.	of 6 cm ⁻ .	
	Answer (b)(i)				
					[4]
	(ii) Factorise $x^2 - 9$	x - 10.			
			4 (1)(:)		ΓΩ.
					[2]
((iii) Calculate the per	imeter of the firs	t rectangle.		
			Answer(h)(iii)	om	· [2

(c)



For Examiner's Use

The diagram shows a right-angled triangle with sides of length 5 cm, (x + 3) cm and (2x + 3) cm.

(i) Show that $3x^2 + 6x - 25 = 0$.

Answer (c)(i)

[4]


(ii) Solve the equation $3x^2 + 6x - 25 = 0$. Show all your working and give your answers correct to 2 decimal places.

(iii) Calculate the area of the triangle.

Answer(c)(iii) cm² [2]

6

For Examiner's Use



The area of triangle ABC is 130 cm^2 . AB = 16 cm and BC = 25 cm.

(a) Show clearly that angle $ABC = 40.5^{\circ}$, correct to one decimal place.

Answer (a)

[3]

(b) Calculate the length of AC.

Answer(b) AC = cm [4]

(c) Calculate the shortest distance from A to BC.

Answer(c) cm [2]

7	(a)
/	(a)



Two discs are chosen at random without replacement from the five discs shown in the diagram.

(i) Find the probability that both discs are numbered 2.

Answer(a)(i) [2]

(ii) Find the probability that the numbers on the **two** discs have a total of 5.

Answer(a)(ii) [3]

(iii) Find the probability that the numbers on the two discs do **not** have a total of 5.


Answer(a)(iii) [1]

(b) A group of international students take part in a survey on the nationality of their parents.

 $E = \{\text{students with an English parent}\}\$

 $F = \{\text{students with a French parent}\}\$

 $n(\mathscr{E}) = 50$, n(E) = 15, n(F) = 9 and $n(E \cup F)' = 33$.



(i) Find $n(E \cap F)$.

 $Answer(b)(i) \qquad [1]$

(ii) Find $n(E' \cup F)$.

Answer(b)(ii) [1]

(iii) A student is chosen at random. Find the probability that this student has an English parent and a French parent.

Answer(b)(iii) [1]

(iv) A student who has a French parent is chosen at random. Find the probability that this student also has an English parent.

Answer(b)(iv) [1]

8 (a)


NOT TO SCALE

В

A, B, C and D lie on a circle. The chords AC and BD intersect at X. Angle $BAC = 28^{\circ}$ and angle $AXD = 52^{\circ}$. Calculate angle XCD.

Answer(a) Angle XCD = [3]

(b)




PQRS is a cyclic quadrilateral in the circle, centre *O*. Angle $QOS = 22x^{\circ}$ and angle $QRS = 25x^{\circ}$. Find the value of x.

Answer(b) x = [3]

© UCLES 2012 0580/43/O/N/12

For Examiner's Use (c)



In the diagram OKL is a sector of a circle, centre O and radius 8 cm. OKM is a straight line and ML is a tangent to the circle at L. Angle $LOK = 44^{\circ}$.


Calculate the area shaded in the diagram.

Answer(c)	cm^2	[5]	l
111151101	 OIII	L~	ı

Examiner's Use 9 200 students take a Mathematics examination.

The cumulative frequency diagram shows information about the times taken, t minutes, to complete the examination.

For Examiner's Use



(a) Find	l							
(a) Find (i)	the median,							
			A	Inswer(a)(i)		min [1]		
(ii)	the lower quartil	e,						
			A	Inswer(a)(ii)		min [1]		
(iii)	the inter-quartile	range,						
(iv)	the number of str	udents who took				min [1]		
(14)	the number of st	ducins who took				[2]		
(b) (i) Use the cumulative frequency diagram to complete the grouped frequency table.								
Time, t minutes	$30 < t \le 40$	$40 < t \le 50$	$50 < t \le 60$	$60 < t \le 70$	$70 < t \le 80$	$80 < t \le 90$		
Frequency	9		16	28	108	28		

[1]

Examiner's Use

(ii) Calculate an estimate of the mean time taken by the 200 students to complete the examination.Show all your working.

Answer(b)(ii) min [4]

10 (a) Complete the table for the 6th term and the nth term in each sequence.

For Examiner's Use

	Sequence	6th term	nth term
A	11, 9, 7, 5, 3		
В	1, 4, 9, 16, 25		
C	2, 6, 12, 20, 30		
D	3, 9, 27, 81, 243		
E	1, 3, 15, 61, 213		

[12]

(b)) Find	the value	ie of the	100 th	term	in
------------	--------	-----------	-----------	--------	------	----

(i) Sequence A,

Answer(h)(i)	Γ1	1
Answer(U)(1)	 1 1	-1

(ii) Sequence C.

(c)	Find the value of n in Sequence D when the n th term is equal to 6561.				
	Find the value of the 10th term in Sequence E .	$Answer(c) n = \dots$	[1]		
		Answer(d)	[1]		

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.