

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

MATHEMATICS 0580/43

Paper 4 (Extended)

October/November 2016

MARK SCHEME

Maximum Mark: 130

## **Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	43

## **Abbreviations**

correct answer only cao

dep

dependent follow through after error FT ignore subsequent working isw

or equivalent oe Special Case SC

not from wrong working nfww

seen or implied soi

Question	Answer	Mark	Part marks
1 (a) (i)	1050	2	<b>M1</b> for 924 ÷ 22 oe or 924 ÷ 0.88 oe If zero scored, <b>SC1</b> for 126 seen
(ii)	12	1	
(iii)	5 1/4 hrs or 5.25 hrs	2	M1 for $9 \div (7 + 5)$ or $540 \div (7 + 5)$ If zero scored, SC1 for answer 3.75h or 3h 45 mins
(b)	24.6[0]	3	<b>M2</b> for $15.99 \div \left(1 - \frac{35}{100}\right)$ oe or <b>M1</b> for 65% associated with 15.99
(c)	63	3	<b>M2</b> for $35 \times \sqrt{\frac{2835}{875}}$ oe $\frac{2835}{875}$
			or <b>M1</b> for $\sqrt{\frac{2835}{875}}$ or $\sqrt{\frac{875}{2835}}$ or better or $\frac{\sqrt{2835}}{?} = \frac{\sqrt{875}}{35}$ oe OR <b>M2</b> for $\sqrt{2835 \times \frac{35}{their(875 \div 35)}}$ oe or their $\sqrt{\frac{35}{2835}} = \frac{35}{their(875 \div 35)}$
			<b>M1</b> for $\frac{35}{their(875 \div 35)}$ or $\frac{their(875 \div 35)}{35}$
(d) (i)	0.661[0]	1	
(ii)	48	3	M2 for $\frac{18.50 - 12.50}{12.50} \times 100$
			or <b>M1</b> for $\frac{18.50 - 12.50}{12.50}$ or $\frac{18.50}{12.50} \times 100$

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	43

Q	uestion	Answer	Mark	Part marks
2	(a)	-4.5 and 10.5	2	<b>B1</b> for each value
	(b)	Correct curve	5	B4 for correct curve with branches joined OR B3 FT for 9 or 10 points or B2 FT for 7 or 8 points or B1 FT for 5 or 6 points and B1 independent for one branch on each side of the y-axis and not touching or crossing the y-axis
	(c)	5	1	
	(d) (i)	Line $y = 15 - 3x$ ruled		
		and -0.4 to -0.31 0.35 to 0.45 2.2 to 2.3	4	B3 for correct line and 2 correct values or B2 for correct line or M1 for ruled line with gradient –3 or through (0, 15) or SC2 for no/wrong line and three correct values or SC1 for no/wrong line and two correct values or for correct freehand line
	(ii)	[a =] 6 [b =] -14 [c =] 0	3	<b>B2</b> for $6x^3 - 14x^2 + 2 = 0$ oe or <b>M1</b> for correct removal of denominator or collection of terms on one side
3	(a)	2.25 oe	2	<b>M1</b> for $8x + 4x = 22 + 5$ or better
	<b>(b)</b>	$x \ge 3.5$ final answer	2	<b>M1</b> for $6x - 2x \ge 14$ or better
	(c)	(x-7)(x+3) final answer	2	<b>M1</b> for $x(x+3) - 7(x+3)$ or $x(x-7) + 3(x-7)$
				or for $(x + a)(x + b)$ where $ab = -21$ or $a + b = -4$
	<b>(d)</b>	$12x^2 + xy - 6y^2$ final answer	3	<b>M2</b> for $12x^2 + 9xy - 8xy - 6y^2$
				or M1 for any two of the four terms correct
4	(a)	Triangle drawn at (-4, 3), (-1, 3), (-1, 4)	2	<b>SC1</b> for correct reflection in $x = k$ or $y = 1$
	(b)	Triangle drawn at (1, 7), (1, 6), (4, 6)	2	<b>SC1</b> for translation by $\begin{pmatrix} -2 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 3 \end{pmatrix}$
	(c)	Triangle drawn at (2, 3), (2, 1), (8, 1)	2	M1 for two correct vertices or SC1 for correct enlargement about the wrong centre
	(d)	Rotation 90° clockwise oe (7, 4)	1 1 1	Accept –90°

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	43

Q	uestion	Answer	Mark	Part marks
5	(a)	$\frac{1}{64}$	2	<b>M1</b> for $\frac{1}{8} \times \frac{1}{8}$
	(b)	$\frac{63}{64}$	1FT	<b>FT</b> 1 – their ( <b>a</b> )
	(c)	$\frac{30}{64}$ oe	2	<b>M1</b> for $[2 \times]$ $\frac{3}{8} \times \frac{5}{8}$ oe
	(d)	<del>7</del> <del>64</del>	3	M2 for $\frac{1}{8} \times \frac{1}{8} + \frac{1}{8} \times \frac{3}{8} + \frac{3}{8} \times \frac{1}{8}$ oe or M1 for identifying combinations required, (8, 8) and (8, 6) and (8, 5) or identifying 6 out of the 7 possible outcomes
	(e)	$\frac{24}{64}$ oe	3	M2 for $\frac{1}{8} \times \frac{7}{8} + \frac{3}{8} \times \frac{4}{8} + \frac{2}{8} \times \frac{2}{8} + \frac{1}{8} \times \frac{1}{8}$ oe  or $\frac{7}{8} \times \frac{1}{8} + \frac{6}{8} \times \frac{1}{8} + \frac{4}{8} \times \frac{2}{8} + \frac{1}{8} \times \frac{3}{8}$ oe  or  M1 for the sum of any two correct products from above oe isw
6	(a)	$[\cos ABL =] \frac{40^2 + 61.1^2 - 92.1^2}{2 \times 40 \times 61.1}$	M2	M1 for correct implicit version
		130.11	A2	<b>A1</b> for $[\cos ABL =] -0.644$ or $-\frac{7873}{12220}$ or $-\frac{3149.2}{4888}$
	(b)	[0]59.5 or 59.50 to 59.511	4	M2 for $\frac{40\sin 130.1}{92.1}$ or $\frac{61.1\sin 130.1}{92.1}$ or $\frac{\sin A}{40} = \frac{\sin 130.1}{92.1}$ or $\frac{\sin L}{61.1} = \frac{\sin 130.1}{92.1}$ and A1 for 19.39 to 19.4 or 30.48 to 30.49

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	43

Q	uestion	Answer	Mark	Part marks
	(c)	1h 50min	5	M2 for $[BC = ]2 \times 40 \times \cos(180 - 130.1)$ oe or M1 for $\frac{x}{40} = \cos(180 - 130.1)$ oe OR M2 for $[BC = ]\sqrt{40^2 + 40^2 - 2 \times 40 \times 40\cos(their\ 80.2)}$ or M1 for correct implicit version
				OR M2 for $[BC =] \frac{40 \sin(their\ 80.2)}{\sin 49.9}$ or M1 for correct implicit version and their BC
				M1 for $\frac{their BC}{28}$ A1 for 1.84[0] to 1.841
7	(a) (i)	6000 [7600] 10200 4200	2	<b>B1</b> for 6000 or 10200 If <b>B0</b> then <b>B1FT</b> for <i>their</i> (UQ – LQ)
	(ii)(a)	True, median price is lower	1	No inclusion of other statistic
	( <b>ii</b> )( <b>b</b> )	False, A's UQ < 13600 oe	1FT	FT their UQ in (a)(i)
	<b>(b)</b>	11 025	4	Listed values are in thousands M1 for 3, 7, 9, 11, 13, 18 soi
				<b>M1</b> for $\Sigma fm$ [1323]
				<b>M1</b> (dep on second <b>M1</b> ) for their $\Sigma fm \div 120$
	(c)	323.25 nfww	3	<b>M2</b> for $9948 - 0.25 \times 8760$
				or <b>M1</b> for 0.25 × 8760
8	(a)	Attempt to use $18 - r$ in Pythagoras'	M1	
		$144 = r^2 - 324 + 18r + 18r - r^2$	B2	or <b>B1</b> for $324 - 18r - 18r + r^2$
		oe $468 = 36r$ oe	A1	Correct simplification with no errors
	<b>(b)</b>	$[2 \times] \sin^{-1}\left(\frac{12}{13}\right)$ oe	M1	or $\cos = \left(\frac{13^2 + 13^2 - 24^2}{2 \times 13 \times 13}\right)$ or better or
				$[180 - ] 2 \times \sin^{-1}\left(\frac{5}{13}\right)$
		134.76	A1	Not 67.4 × 2

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	43

Question	Answer	Mark	Part marks
(c) (i)	332 or 332.1 to 332.2	3	<b>M2</b> for $\frac{(360-134.8)}{360} \times \pi \times 13^2$
(ii)	392 or 392.0 to 392.2	3	or  M1 for $\frac{134.8}{360} \times \pi \times 13^{2}$ M2 for $\frac{1}{2} \times 24 \times 5 + their$ (c)(i) or $\frac{1}{2} \times 13^{2} \times \sin 134.8 + their$ (c)(i) or  M1 for $\frac{1}{2} \times 24 \times 5$ or $\frac{1}{2} \times 13^{2} \times \sin 134.8$
(iii)	15700 or 15670 to 15690	1FT	<b>FT</b> for answer to $40 \times their$ (c)(ii)
( <b>d</b> )	29.5 or 29.6 or 29.51 to 29.57	2FT	<b>M1</b> for $\pi \times 13^2 \times h = their$ (c)(iii) or better
9 (a) (i)	$\begin{pmatrix} 12 \\ -5 \end{pmatrix}$	2	<b>M1</b> for $\begin{pmatrix} 12 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -5 \end{pmatrix}$
(ii)	13 nfww	2FT	<b>M1FT</b> for $\sqrt{their 12^2 + their (-5)^2}$
			<b>FT</b> dep on <i>their</i> (a) being $\begin{pmatrix} a \\ b \end{pmatrix}$ where $a, b$ are both non-zero
(b)(i)(a)	$\mathbf{b} - \mathbf{a}$	1	
(i)(b)	$\frac{3}{5}(\mathbf{b} - \mathbf{a})  \text{or } \frac{3}{5}\mathbf{b} - \frac{3}{5}\mathbf{a}$ final answer	1FT	FT $\frac{3}{5}$ their vector, in terms of <b>a</b> and <b>b</b> , in ( <b>b</b> )( <b>i</b> )( <b>a</b> )
(i)(c)	$\frac{1}{5}(2\mathbf{a} + 3\mathbf{b})  \text{or } \frac{2}{5}\mathbf{a} + \frac{3}{5}\mathbf{b}$ final answer	2	M1 for a + their vector in (b)(i)(b) or any correct route
(ii)	$\frac{3}{2}$ oe	1	

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	43

Qı	iestion	Ar	nswer	Mark	Part marks
10	(a)	A: 14	3n-1 oe	3	<b>B1</b> for 14 <b>B2</b> for $3n - 1$ oe or <b>M1</b> for $3n + k$ , for any $k$ oe
		B: -4	26 – 6 <i>n</i> oe	3	<b>B1</b> for -4 <b>B2</b> for 26 – 6 <i>n</i> oe or <b>M1</b> for <i>k</i> – 6 <i>n</i> , for any <i>k</i> oe
		C: 25	$n^2$ oe	2	<b>B1</b> for 25 <b>B1</b> for $n^2$ oe
		D: 20	$n^2 - n$ oe	2	<b>B1</b> for 20 <b>B1</b> for $n^2 - n$ oe
	(b) (i)	$\frac{n(3n+1)}{2} = 1$	55	M1	$Accept \frac{3n^2 + n}{2} = 155$
		$3n^2 + n = 310$			Intermediate step must include elimination of fraction eg $n(3n + 1) = 310$
		$3n^2 + n - 310 =$	= 0	A1	With no errors or omissions
	(ii)	10, $-\frac{31}{3}$ oe		3	M2 for $(3n + 31)(n - 10)$ [= 0] or M1 for $3n(n - 10) + 31(n - 10)$ or n(3n + 31) - 10(3n + 31) or $(3n + a)(n + b)$ where $ab = -310$ or a + 3b = 1
	(iii)	10		1FT	FT their b(ii) if only one positive integer solution

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	43

Question	Answer	Mark	Part marks
11	$5 \text{ and } -\frac{27}{2} \text{ oe}$	7	M2 for $12 \times 2(2x-1) + (x+3)(2x-1) = 12 \times 3(x+3)$ oe or M1 for a common denominator with 2 or more of the terms  and B2 for $2x^2 + 17x - 135 = 0$ oe or B1 for $48x - 24$ or $2x^2 - x + 6x - 3$ or $36x + 108$ or $2x^2 - x + 54x - 27$ or $132 - 12x$ or $37x + 111 - 2x^2 - 6x$
			and <b>M2</b> for $(2x + 27)(x - 5)$ or <i>their</i> correct factors or formula or <b>M1</b> for $2x(x - 5) + 27(x - 5)$ or $x(2x + 27) - 5(2x + 27)$ or $(2x + a)(x + b)$ where $ab = -135$ or $a + 2b = 17$